Scotch[®] Fine Line Tape 215



Technical Data				December, 2007
Product Description	Scotch® Fine Line Tape 215 is a very conformable film backed tape with a low profile to achieve an excellent paint line on highly contoured surfaces.			
Product Construction	Backing	Adhesive	Color	Standard Roll Lengtl
	Copolymer plastic film	Rubber	Blue	60 yds. (54.9 m)
Typical Physical	Note: The following techn	ical information ar	nd data should be o	considered representativ
Properties	Note: The following technical information and data should be considered representative or typical only and should not be used for specification purposes. ASTM Test Metho			
	Adhesion to Steel:	42 oz./in. width (46 N/100 mm)		D-3330
	Tensile Strength:	10 lbs./in. width (175 N/100 mm)		D-3759
	Elongation at Break:	830%		D-3759
	Tape Thickness:	4.7 mils (0.12 mm)		D-3652
	Temperature Use Range:	Up to 250°F (121°C) for 30 minutes		
Features	Ideal for many complex shapes and irregular surfaces where paper masking tapes or other plastic tapes do not offer sufficient conformability.			
	 Resists lifting around corners or in depressed areas. 			
	• The smooth backing will allow taping over freshly cured acrylic lacquer, enamel and polyurethane paint jobs earlier with less chance of imprint damage.			
	• Tape will give excellent color line separation due to its thinness.			
	 Will withstand a bake cycle of up to 250°F (121°C) for 30 minutes. Excellent performance at higher temperatures may be obtained, depending upon the total time, temperature, surfaces masked and other conditions. 			
	 Should not be subjected to outdoor applications or prolonged periods of sunlight as tape may become difficult to remove. 			
Application Ideas	Ideal for painting appl	ications where ten	pperature perform	nance of 250°F (121°C)

Application Ideas

• Ideal for painting applications where temperature performance of 250°F (121°C), conformability and a sharp, clean paint separation line are needed; such as automotive fascias, window and door pillars.

Scotch® Fine Line Tape

215

Storage Store under normal conditions of 70°F (21°C) and 50% R.H. in the original carton.

Shelf Life To obtain best performance, use this product within 12 months from date of

manufacture.

Product Use All statements, technical information and recommendations contained in this document are based upon

tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the

user's method of application.

Warranty and Limited Remedy Unless stated otherwise in 3M's product literature, packaging inserts or product packaging for individual products, 3M warrants that each 3M product meets the applicable specifications at the time 3M ships the product. Individual products may have additional or different warranties as stated on product literature, package inserts or product packages. 3M MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OF ALSING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's application. If the 3M product is defective within the warranty period, your exclusive remedy and 3M's and seller's sole obligation will be, at 3M's option, to replace the product or refund the purchase price.

Limitation of Liability

Except where prohibited by law, 3M and seller will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

ISO 9001:2000

This Industrial Adhesives and Tapes Division product was manufactured under a 3M quality system registered to ISO 9001:2000 standards.



